

Spreader calibrations - 33N + 30SO₃

The spreader settings below are for guidance only. The exact fertiliser rates and spreading patterns using these settings cannot be guaranteed as the application will be affected by the condition of the spreader itself and the environmental conditions at the time of application.

To ensure greater accuracy, the spreader should be recalibrated for application rate and spread pattern using a tray test. Up to date information can be found on the spreader manufacturers website.

Product Name	Spreader (Make/Model)	Spread Width (m)	Disc/Vane Type	Spreader Height	Tilt (°)	PTO /Disc speed (rpm)	Vane setting / Drop on point/ Discharge point	Application Rate (kg/Ha)	Forward speed (km/h)
OEN 33N 30SO ₃	Amazone ZAM	24	OS 20-28	80		540	70/87	250	10
OEN 33N 30SO ₃	Amazone ZAM	24	OM 18-24	80		540	20/47	250	10
OEN 33N 30SO ₃	Amazone ZAM	24	OM 24-36	80		540	14/41	250	10
OEN 33N 30SO ₃	Amazone ZAM	32	OM 24-36	80		540	14/51	250	10
OEN 33N 30SO ₃	Kuhn Axis 30.1	24	S4	50		540	5	250	10
OEN 33N 30SO ₃	Kuhn Axis 30.1	32	S8	50		540	6.5	250	10
OEN 33N 30SO ₃	KRM Ex Trend	24	E6T	85	4°	540	Pos 1 & 2	250	10
OEN 33N 30SO ₃	KRM Ex Trend	24	E8T	95	6°	540	Pos 1 & 2	250	10
OEN 33N 30SO ₃	Sulky X36	24	12/28	70		540	118	250	10
OEN 33N 30SO ₃	Sulky X36	24	24/36	70		540	111	250	10

Machine equivalents:

Amazone ZAM: 1200, 1500, Compact, Novis, Maxis and Max; Kuhn Axis 30.1: 40.1, 30.2, 40.2; KRM M2: M3 and Ex Trend; Kverneland Exacta HL/TL :Vicon RS-XL: RO-XL, RS-EDW, RO-EDW

Advanced nutrition for enhanced performance

t: 03333 239 230

e: productenquiry@originfertilisers.co.uk

www.originfertilisers.co.uk